

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

CHARACTER	UTF-8	Shift_JIS	Latin1
...
1	31	31	31
...
¥	E2 82 AC		80
...
OK	E3 86 AC		
...
₪	E5 86 86	89 7E	
...

FIG.8




FIG.9




FIG.10




FIG.11

```

- <SOAP-ENV:Envelope xmlns:SOAP-
  ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-
  ENC="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema" SOAP-
  ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:m0="http://schemas.ricoh.co.jp/commonTypes">
- <SOAP-ENV:Body>
- <m:setTitle xmlns:m="http://soapdefs.ricoh.co.jp/repository">
  <id xsi:type="xsd:anyURI">doc1234</id>
  <value xsi:type="xsd:string">Göteff</value>
</m:setTitle>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```


FIG.12




FIG.13

CHARACTER	UTF-8	Shift_JIS	Latin1
...
G	47	47	47
...
o	C3 B6		F6
...
作	E4 BD 9C	8D EC	
...
ok	E3 86 82		
...

FIG.14

DOCUMENT ID	DOCUMENT NAME ENCODING METHOD ID	DOCUMENT NAME CHARACTER STRING DATA	AUTHOR NAME ENCODING METHOD ID	AUTHOR NAME CHARACTER STRING DATA	OTHER INFORMATION
----------------	--	--	--------------------------------------	---	----------------------

FIG.15

ORIGINAL CHARACTER STRING (UTF-8)	CONVERTED CHARACTER STRING (INTERNAL ENCODING METHOD)	RE-CONVERTED CHARACTER STRING (UTF-8)
G ö t e 作	G [?] t e 作 (Shift_JIS)	G [?] t e 作
G ö t e 作	G ö t e [?] (Latin1)	G ö t e [?]

FIG.16

Shift_JIS		UTF-8 FOR WINDOWS		UTF-8 FOR MAC	
CHARACTER	CODE	CHARACTER NAME	CODE	CHARACTER NAME	CODE
¥	5C	BACKSLASH	5C	YEN SIGN	C2 A5
	7E	TILDE	7E	OVERLINE	E2 80 BE
～	81 60	FULLWIDTH TILDE	EF BD 9E	WAVY DASH	E3 80 9C
	81 61	PARALLEL TO	E2 88 A5	DOUBLE VERTICAL LINE	E2 80 96
—	81 7C	FULLWIDTH HYPHEN	EF BC 8D	MINUS SIGN	E2 88 92
¢	81 91	FULLWIDTH CENT SIGN	EF BF A0	CENT SIGN	C2 A2
£	81 92	FULLWIDTH POUND SIGN	EF BF A1	POUND SIGN	C2 A3
—	81 CA	FULLWIDTH NOT SIGN	EF BF A2	NOT SIGN	C2 AC

FIG.17




FIG.18




FIG.19




FIG.20

```
- <SOAP-ENV:Envelope xmlns:SOAP-
  ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-
  ENC="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema" SOAP-
  ENV:encodingStyle="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:m0="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:m1="http://schemas.ricoh.co.jp/repository">
- <SOAP-ENV:Body>
  - <m:search xmlns:m="http://soapdefs.ricoh.co.jp/repository">
    - <condition>
      <operator>CONTAINS_ANY_AT_HEAD</operator>
      <propName>title</propName>
      <propVal>Göte</propVal>
    </condition>
  </m:search>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

FIG.21




FIG.22




FIG.23

